

CLAIMS

What is claimed is:

1. A system that facilitates extending the functionality of an application, comprising:
 - a schema component that includes a schema element representative of domain terminology of a problem to be solved; and
 - a mapping component that maps the schema element to a construct of a host application programmable interface (API).
2. The system of claim 1, the API is associated with at least one of a word processing application, spreadsheet application, drawing application, presentation graphics application, website design and development application, database application, project management application, publication application, note management application and, browser and communication application.
3. The system of claim 1, the schema component facilitates generation of at least one of a data programming model and a view programming model.
4. The system of claim 1, further comprising a generation component that generates at least one of a data programming model and a view programming model.
5. The system of claim 1, further comprising a generation component that generates a data programming model and a view programming model that are automatically connected to each other *via* data binding.
6. The system of claim 1, further comprising a generation component that generates at least one of a data programming model and a view programming model, wherein the data programming model interfaces to the host API *via* the view programming model.

7. The system of claim 1, further comprising a separation component that separates data from document content.

8. The system of claim 1, further comprising a separation component that generates a data island in a document of a host application.

9. The system of claim 8, the data island is editable.

10. The system of claim 8, the data island can be at least one of accessed and modified without launching the host application.

11. The system of claim 8, contents of the data island and contents of the document are synchronized when the document is run inside the host application *via* data binding.

12. The system of claim 1, the schema component and the mapping component facilitate generation of a new API that interfaces to the host API.

13. A computer readable medium having stored thereon computer executable instructions for carrying out the system of claim 1.

14. A computer that employs the system of claim 1.

15. The system of claim 1, the schema component includes a view schema that represents only data of interest of a host application.

16. The system of claim 1, the schema component includes a view schema that facilitates pulling a plurality of objects of interest from a plurality of the host APIs.

17. The system of claim 1, at least one of the schema component and the mapping component facilitate generation of a view API that is a hybrid of view schema and the host API.

18. A system that facilitates extending the functionality of an application, comprising:

a schema component that includes a schema in terms of a problem to be solved and a mapping of the terms to generic objects of an API of a host application; and
a generation component that generates at least one programming model based on the schema that interfaces to the API.

19. The system of claim 18, further comprising a separation component that generates an editable data island in a document of the host application.

20. The system of claim 19, contents of the data island and contents of the document are synchronized when the document is run inside the host application.

21. The system of claim 18, the schema component facilitates generation of a new API that interfaces to the API.

22. The system of claim 18, the schema component facilitates manipulation of a variable without reference to underlying register and stack allocations.

23. The system of claim 18, further comprising a separation component that generates an editable data island in a document of a host application, which data island is accessible and modifiable without running the host application.

24. A method of extending the functionality of an application, comprising:
creating a schema of problem domain elements of a problem to be solved;
mapping the problem domain elements to constructs interpretable by one
or more generic application interfaces of the application; and
generating a program model based on the mapping of the problem domain
elements such that the one or more generic application interfaces can be accessed *via* the
program model using the problem domain elements.
25. The method of claim 24, further comprising automatically separating the
program model into a data model and a view model.
26. The method of claim 24, further comprising exposing data of the problem
domain elements as named objects in a view model.
27. The method of claim 24, further comprising exposing data of the problem
domain elements as declarations in a data model.
28. The method of claim 24, the program model is a schema-based, machine
generated model.
29. The method of claim 24, further comprising exposing data of the problem
domain elements as first class named objects.
30. The method of claim 24, further comprising separating data from a view
model of the program model by,
generating data that conforms to the schema; and
saving the data as a data island in a document of the application.

31. A computer-readable medium having computer-executable instructions for performing a method for extending the functionality of an application, the method comprising:

creating a mapping of a schema to one or more generic application interfaces of the application;

generating a view model from the mapped schema, the view model includes view data that is mapped to objects of the application; and

generating a data model from the mapped schema, the data model including data that is mapped to objects of the application.

32. The method of claim 31, further comprising data binding the view model to the data model.

33. The method of claim 31, the view model uses portions of the schema that are mapped to problem domain terms related to a problem to be solved.

34. The method of claim 31, further comprising extracting the view data that is mapped to objects of the applications and exposing the view data as view controls.

35. The method of claim 31, the data model is generated by,
conforming the data to the schema; and
saving the data as a data island in a document of the application.

36. The method of claim 35, further comprising:
connecting the data model to the data island; and
synchronizing contents of the data island with contents of the document when the application processes the document.

37. A system that facilitates extending the functionality of an application comprising:

means for creating a mapping of a schema to one or more generic application interfaces of the application;

means for generating a view model from the mapped schema, the view model includes view data that is mapped to objects of the application

means for generating a data model from the mapped schema, the data model including data that is mapped to objects of the application; and

means for propagating changes to the data model to contents of a document *via* a data binding mechanism to view controls.